# **Henry Schein**

Chemwatch Hazard Alert Code: 3

Issue Date: 30/03/2022

Print Date: 30/03/2022

S.GHS.AUS.EN

Chemwatch: 5530-38

Version No: 2.1 Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

# SECTION 1 Identification of the substance / mixture and of the company / undertaking

#### **Product Identifier**

Product name	Henry Schein Waterline Maintenance Tablets
Chemical Name	Not Applicable
Synonyms	Not Available
Chemical formula	Not Applicable
Other means of identification	Not Available

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Alkyl sulfates (AS) are used in laundry detergents, frequently in combination with other anionic surfactants. Besides, AS are used in speciality products, including wool-washing agents, soap bars and liquid bath soaps, hair shampoos, and tooth pastes. Most of the AS used in consumer products are linear primary AS but some linear and branched secondary AS are also used	
	Primary AS are structurally represented as R-CH2-O-SO3-Na+; secondary AS are (R1)R2CH-O-SO3-Na+ (not to be confused with sulfonates where the sulfur is covalently linked to an alkyl carbon). The hydrophobic alkyl chain (R or R1+R2 usually contains 12-18 carbons) Use according to manufacturer's directions.	

# Details of the supplier of the safety data sheet

Registered company name	Henry Schein
Address	189 – O'RIORDAN STREET Mascot NSW 2020 Australia
Telephone	+61 1300 65 88 22
Fax	1300 65 88 10
Website	http://henryschein.com.au
Email	customer.care@henryschein.com.au

#### Emergency telephone number

Association / Organisation	Poison Information Centre	CHEMWATCH EMERGENCY RESPONSE
Emergency telephone numbers	13 11 26 (24 hours)	+61 1800 951 288
Other emergency telephone numbers	Not Available	+61 2 9186 1132

# Once connected and if the message is not in your prefered language then please dial 01

#### **SECTION 2 Hazards identification**

#### Classification of the substance or mixture

# HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable
Classification <sup>[1]</sup>	Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 1, Specific Target Organ Toxicity - Single Exposure (Respiratory Tract Irritation) Category 3
Legend:	1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

### Label elements

olomonto	
Hazard pictogram(s)	
Signal word	Danger

# Hazard statement(s)

H315	Causes skin irritation.
H318	Causes serious eye damage.

Version No: 2.1

# Henry Schein Waterline Maintenance Tablets

H335 May cause respiratory irritation.

# Precautionary statement(s) Prevention

P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves, protective clothing, eye protection and face protection.
P261	Avoid breathing dust/fumes.
P264	Wash all exposed external body areas thoroughly after handling.

# Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor/physician/first aider.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	

# Precautionary statement(s) Storage

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

# Precautionary statement(s) Disposal

P501 Dispo

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

# **SECTION 3 Composition / information on ingredients**

# Substances

See section below for composition of Mixtures

# Mixtures

CAS No	%[weight]	Name
77-92-9	<40	citric acid
151-21-3	<20	sodium lauryl sulfate
7440-22-4	<0.9	silver
Legend:	1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available	

# **SECTION 4 First aid measures**

Description of first aid measures		
Eye Contact	<ul> <li>If this product comes in contact with the eyes:</li> <li>Immediately hold eyelids apart and flush the eye continuously with running water.</li> <li>Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.</li> <li>Transport to hospital or doctor without delay.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>	
Skin Contact	<ul> <li>If skin or hair contact occurs:</li> <li>Immediately flush body and clothes with large amounts of water, using safety shower if available.</li> <li>Quickly remove all contaminated clothing, including footwear.</li> <li>Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre.</li> <li>Transport to hospital, or doctor.</li> </ul>	
Inhalation	<ul> <li>If fumes or combustion products are inhaled remove from contaminated area.</li> <li>Lay patient down. Keep warm and rested.</li> <li>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>Transport to hospital, or doctor, without delay.</li> </ul>	
Ingestion	<ul> <li>IF SWALLOWED, REFER FOR MEDICAL ATTENTION, WHERE POSSIBLE, WITHOUT DELAY.</li> <li>For advice, contact a Poisons Information Centre or a doctor.</li> <li>Urgent hospital treatment is likely to be needed.</li> <li>In the mean time, qualified first-aid personnel should treat the patient following observation and employing supportive measures as indicated by the patient's condition.</li> <li>If the services of a medical officer or medical doctor are readily available, the patient should be placed in his/her care and a copy of the SDS should be provided. Further action will be the responsibility of the medical specialist.</li> <li>If medical attention is not available on the worksite or surroundings send the patient to a hospital together with a copy of the SDS.</li> <li>Where medical attention is not immediately available or where the patient is more than 15 minutes from a hospital or unless instructed otherwise:</li> <li>INDUCE vomiting with fingers down the back of the throat, ONLY IF CONSCIOUS. Lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>NOTE: Wear a protective glove when inducing vomiting by mechanical means.</li> </ul>	

Part Number:

Version No: 2.1

### Henry Schein Waterline Maintenance Tablets

#### Indication of any immediate medical attention and special treatment needed

As in all cases of suspected poisoning, follow the ABCDEs of emergency medicine (airway, breathing, circulation, disability, exposure), then the ABCDEs of toxicology (antidotes, basics, change absorption, change distribution, change elimination).

For poisons (where specific treatment regime is absent):

#### BASIC TREATMENT

- Establish a patent airway with suction where necessary.
- Watch for signs of respiratory insufficiency and assist ventilation as necessary.
- Administer oxygen by non-rebreather mask at 10 to 15 L/min.
- Monitor and treat, where necessary, for pulmonary oedema.
- Monitor and treat, where necessary, for shock.
- Anticipate seizures.
- DO NOT use emetics. Where ingestion is suspected rinse mouth and give up to 200 ml water (5 ml/kg recommended) for dilution where patient is able to swallow, has a strong gag reflex and does not drool.

#### ADVANCED TREATMENT

- Consider orotracheal or nasotracheal intubation for airway control in unconscious patient or where respiratory arrest has occurred.
- Positive-pressure ventilation using a bag-valve mask might be of use.
- Monitor and treat, where necessary, for arrhythmias.
- Start an IV D5W TKO. If signs of hypovolaemia are present use lactated Ringers solution. Fluid overload might create complications.
- Drug therapy should be considered for pulmonary oedema.
- + Hypotension with signs of hypovolaemia requires the cautious administration of fluids. Fluid overload might create complications.
- Treat seizures with diazepam.
- Proparacaine hydrochloride should be used to assist eye irrigation.

BRONSTEIN, A.C. and CURRANCE, P.L.

EMERGENCY CARE FOR HAZARDOUS MATERIALS EXPOSURE: 2nd Ed. 1994 Treat symptomatically.

#### . . .

# **SECTION 5 Firefighting measures**

#### Extinguishing media

- Water spray or fog.
- Foam.
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.

#### Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
Advice for firefighters	
Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> <li>Use water delivered as a fine spray to control fire and cool adjacent area.</li> <li>DO NOT approach containers suspected to be hot.</li> <li>Cool fire exposed containers with water spray from a protected location.</li> </ul>
Fire/Explosion Hazard	<ul> <li>Combustible solid which burns but propagates flame with difficulty; it is estimated that most organic dusts are combustible (circa 70%) - according to the circumstances under which the combustion process occurs, such materials may cause fires and / or dust explosions.</li> <li>Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions).</li> <li>Avoid generating dust, particularly clouds of dust in a confined or unventilated space as dusts may form an explosive mixture with air, and any source of ignition, i.e. flame or spark, will cause fire or explosion. Dust clouds generated by the fine grinding of the solid are a particular hazard; accumulations of fine dust (420 micron or less) may burn rapidly and fiercely if ignited - particles exceeding this limit will generally not form flammable dust clouds; once initiated, however, larger particles up to 1400 microns diameter will contribute to the propagation of an explosion.</li> <li>In the same way as gases and vapours, dusts in the form of a cloud are only ignitable over a range of concentrations; in principle, the concepts of lower explosive limit (LEL) and upper explosive limit (UEL) are applicable to dust clouds but only the LEL is of practical use; - this is because of the inherent difficulty of achieving homogeneous dust clouds at high temperatures (for dusts the LEL is often called the "Minimum Explosible Concentration", MEC).</li> <li>When processed with flammable liquids/vapors/mists,ignitable (hybrid) mixtures may be formed with combustible dusts.</li> <li>Combustion products include:</li> <li>carbon dioxide (CO)</li> <li>carbon dioxide (CO2)</li> <li>sulfur oxides (SOx)</li> <li>other pyrolysis products typical of burning organic material.</li> <li>May emit corrosive fumes.</li> </ul>
HAZCHEM	Not Applicable

# **SECTION 6 Accidental release measures**

Personal precautions, protective equipment and emergency procedures See section 8

See section 12

# Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Environmental hazard - contain spillage.</li> <li>Remove all ignition sources.</li> <li>Clean up all spills immediately.</li> <li>Avoid contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Use dry clean up procedures and avoid generating dust.</li> <li>Place in a suitable, labelled container for waste disposal.</li> </ul>
Major Spills	Environmental hazard - contain spillage. Moderate hazard. • CAUTION: Advise personnel in area. • Alert Emergency Services and tell them location and nature of hazard. • Control personal contact by wearing protective clothing. • Prevent, by any means available, spillage from entering drains or water courses. • Recover product wherever possible.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

# **SECTION 7 Handling and storage**

#### Precautions for safe handling

Safe handling	<ul> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> <li>Prevent concentration in hollows and sumps.</li> <li>DO NOT enter confined spaces until atmosphere has been checked.</li> <li>DO NOT allow material to contact humans, exposed food or food utensils.</li> <li>Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions)</li> <li>Minimise airborne dust and eliminate all ignition sources. Keep away from heat, hot surfaces, sparks, and flame.</li> <li>Establish good housekeeping practices.</li> <li>Remove dust accumulations on a regular basis by vacuuming or gentle sweeping to avoid creating dust clouds.</li> <li>Use continuous suction at points of dust generation to capture and minimise the accumulation of dusts. Particular attention should be given to overhead and hidden horizontal surfaces to minimise the probability of a "secondary" explosion.</li> </ul>
Other information	<ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>Store in a cool, dry area protected from environmental extremes.</li> <li>Store away from incompatible materials and foodstuff containers.</li> <li>Protect containers against physical damage and check regularly for leaks.</li> <li>Observe manufacturer's storage and handling recommendations contained within this SDS.</li> </ul>

# Conditions for safe storage, including any incompatibilities

Suitable container	<ul> <li>Polyethylene or polypropylene container.</li> <li>Check all containers are clearly labelled and free from leaks.</li> </ul>
Storage incompatibility	<ul> <li>Avoid strong bases.</li> <li>Avoid reaction with oxidising agents</li> </ul>

# **SECTION 8 Exposure controls / personal protection**

#### **Control parameters**

# Occupational Exposure Limits (OEL)

# INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes	
Australia Exposure Standards	silver	Silver, metal	0.1 mg/m3	Not Available	Not Available	Not Available	
Emergency Limits							
Ingredient	TEEL-1		TEEL-2		TEEL-3		
sodium lauryl sulfate	3.9 mg/m3		43 mg/m3		260 mg/m3		
silver	0.3 mg/m3		170 mg/m3		990 mg/m3		
Ingredient	Original IDLH	Original IDLH					
citric acid	Not Available	Not Available			Not Available		
sodium lauryl sulfate	Not Available			Not Available	Not Available		
silver	10 mg/m3		Not Available				
Occupational Exposure Banding	Occupational Exposure Banding						
Ingredient	Occupational Expo	sure Band Rating		Occupational Expo	sure Band Limit		
citric acid	E			≤ 0.01 mg/m³			
sodium lauryl sulfate	E			≤ 0.01 mg/m³			
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.						

Exposure controls

#### Henry Schein Waterline Maintenance Tablets

sure controis	
Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.
Personal protection	
Eye and face protection	<ul> <li>Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure.</li> <li>Chemical goggles.whenever there is a danger of the material coming in contact with the eyes; goggles must be properly fitted.</li> <li>Full face shield (20 cm, 8 in minimum) may be required for supplementary but never for primary protection of eyes; these afford face protection.</li> <li>Alternatively a gas mask may replace splash goggles and face shields.</li> <li>Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.</li> </ul>
Skin protection	See Hand protection below
Hands/feet protection	<ul> <li>Elbow length PVC gloves NOTE:         <ul> <li>The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.</li> <li>Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.</li> </ul> </li> <li>The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.</li> <li>Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly.</li> <li>Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.         <ul> <li>polychloroprene.</li> <li>nitrile rubber.</li> <li>butyl rubber.</li> <li>butyl rubber.</li> <li>butyl rubber.</li> <li>butyl rubber.</li> <li>polyvinyl chloride.</li> </ul> </li> </ul>
Body protection	See Other protection below
Other protection	<ul> <li>Overalls.</li> <li>P.V.C apron.</li> <li>Barrier cream.</li> <li>Skin cleansing cream.</li> <li>Eye wash unit.</li> </ul>

### **Respiratory protection**

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	P1 Air-line*	-	PAPR-P1 -
up to 50 x ES	Air-line**	P2	PAPR-P2
up to 100 x ES	-	P3	-
		Air-line*	-
100+ x ES	-	Air-line**	PAPR-P3

\* - Negative pressure demand \*\* - Continuous flow

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

· Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.

• The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).

Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.

Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
 Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)

· Use approved positive flow mask if significant quantities of dust becomes airborne.

· Try to avoid creating dust conditions.

Class P2 particulate filters are used for protection against mechanically and thermally generated particulates or both.

P2 is a respiratory filter rating under various international standards, Filters at least 94% of airborne particles

Suitable for:

· Relatively small particles generated by mechanical processes eg. grinding, cutting, sanding, drilling, sawing.

· Sub-micron thermally generated particles e.g. welding fumes, fertilizer and bushfire smoke.

· Biologically active airborne particles under specified infection control applications e.g. viruses, bacteria, COVID-19, SARS

# **SECTION 9** Physical and chemical properties

#### Information on basic physical and chemical properties

Appearance Light blue tablet with no odour; soluble in water. Physical state Solid Relative density (Water = 1) Not Available Partition coefficient n-octanol Odour Not Available Not Available / water Odour threshold Not Available Auto-ignition temperature (°C) Not Available Decomposition temperature pH (as supplied) 3.10 Not Available Melting point / freezing point Not Available Viscosity (cSt) Not Available (°C) Initial boiling point and boiling Molecular weight (g/mol) Not Applicable Not Available range (°C) Flash point (°C) Not Available Taste Not Available Evaporation rate Not Available Explosive properties Not Available Flammability **Oxidising properties** Not Available Not Available Surface Tension (dyn/cm or Upper Explosive Limit (%) Not Applicable Not Available mN/m) Volatile Component (%vol) Lower Explosive Limit (%) Not Available Not Available Vapour pressure (kPa) Not Available Gas group Not Available pH as a solution (Not Solubility in water Miscible Not Available Available%) Vapour density (Air = 1) >1 VOC g/L Not Available

# **SECTION 10 Stability and reactivity**

Reactivity	See section 7
Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 Toxicological information**

#### Information on toxicological effects

internation on texicological ci	
Inhaled	There is strong evidence to suggest that this material can cause, if inhaled once, very serious, irreversible damage of organs. The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Inhalation of dusts, generated by the material during the course of normal handling, may produce severe damage to the health of the individual. Relatively small amounts absorbed from the lungs may prove fatal.
Ingestion	Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual. There is strong evidence to suggest that this material can cause, if swallowed once, very serious, irreversible damage of organs. Ingestion of low-molecular organic acid solutions may produce spontaneous haemorrhaging, production of blood clots, gastrointestinal damage and narrowing of the oesophagus and stomach entry. Ingestion of anionic surfactants may produce diarrhoea, bloated stomach, and occasional vomiting. Organo-sulfates are generally poorly absorbed from the gastro-intestinal tract but have the ability to attract water and as a result may produce diarrhoea. If absorbed they are highly toxic.
Skin Contact	Skin contact with the material may produce toxic effects; systemic effects may result following absorption. There is strong evidence to suggest that this material, on a single contact with skin, can cause very serious, irreversible damage of organs. The material may cause mild but significant inflammation of the skin either following direct contact or after a delay of some time. Repeated exposure can cause contact dermatitis which is characterised by redness, swelling and blistering. Repeated exposure may cause skin cracking, flaking or drying following normal handling and use. Anionic surfactants can cause skin redness and pain, as well as a rash. Cracking, scaling and blistering can occur. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	If applied to the eyes, this material causes severe eye damage. Direct eye contact with some anionic surfactants in high concentration can cause severe damage to the cornea. Low concentrations can cause discomfort, excess blood flow, and corneal clouding and swelling. Recovery may take several days. Solutions of low-molecular weight organic acids cause pain and injury to the eyes.
Chronic	Repeated or long-term occupational exposure is likely to produce cumulative health effects involving organs or biochemical systems. Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems. This material can cause serious damage if one is exposed to it for long periods. It can be assumed that it contains a substance which can produce severe defects.

There is some evidence that inhaling this product is more likely to cause a sensitisation reaction in some persons compared to the general population. There is limited evidence that, skin contact with this product is more likely to cause a sensitisation reaction in some persons compared to the general population. Sodium lauryl sulfate has been reported to cause lung irritation and allergy resulting in hyperactive airway dysfunction, fatigue, malaise and aches. Significant symptoms of exposure can persist for more than two years and can be activated by a variety of non-specific environmental stimuli such as exhaust, perfumes and passive smoking.

Prolonged or repeated skin contact may cause degreasing, followed by drying, cracking and skin inflammation.

Henry Schein Waterline	TOXICITY	IRRITATION		
Maintenance Tablets	Not Available	Not Available		
	τοχιςιτγ	IRRITATION		
citric acid	dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup>	Eye (rabbit): 0.7	/5 mg/24h-SEVERE	
	Oral (Rat) LD50; 3000 mg/kg <sup>[2]</sup>	Skin (rabbit): 50	0 mg/24h - mild	
	ΤΟΧΙΟΙΤΥ	IRRITATION		
	dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup>	Eye (rabbit):100	mg/24 hr-moderate	
sodium lauryl sulfate	Oral (Rat) LD50; 1288 mg/kg <sup>[2]</sup>	Eye: adverse eff	Eye: adverse effect observed (irritating) <sup>[1]</sup>	
	Skin (human): 2		5 mg/24 hr - mild	
		Skin: adverse ef	ffect observed (irritating) <sup>[1]</sup>	
	τοχιςιτγ	IRRITATION		
	dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup>	Eye: no adverse	e effect observed (not irritating) <sup>[1]</sup>	
silver	Inhalation(Rat) LC50; >5.16 mg/l4h <sup>[1]</sup>		e effect observed (not irritating) <sup>[1]</sup>	
	Oral (Rat) LD50; >2000 mg/kg <sup>[2]</sup>			
Legend:	<ol> <li>Value obtained from Europe ECHA Registered Substances - Act specified data extracted from RTECS - Register of Toxic Effect of c</li> </ol>		ained from manufacturer's SDS. Unless otherwise	
SODIUM LAURYL SULFATE	10: mg- Based on laboratory and animal testing, exposure to the material m	nav result in irreversible		
Henry Schein Waterline Maintenance Tablets & CITRIC ACID & SODIUM LAURYL SULFATE	Asthma-like symptoms may continue for months or even years after known as reactive airways dysfunction syndrome (RADS) which ca criteria for diagnosing RADS include the absence of previous airwa asthma-like symptoms within minutes to hours of a documented ex airflow pattern on lung function tests, moderate to severe bronchial lymphocytic inflammation, without eosinophilia. RADS (or asthma) the concentration of and duration of exposure to the irritating subst result of exposure due to high concentrations of irritating substance	re exposure to the materi in occur after exposure to ays disease in a non-atop posure to the irritant. Oth hyperreactivity on meth following an irritating inh ance. On the other hand	al ends. This may be due to a non-allergic conditior o high levels of highly irritating compound. Main pic individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversit acholine challenge testing, and the lack of minimal alation is an infrequent disorder with rates related to I, industrial bronchitis is a disorder that occurs as a	
Maintenance Tablets & CITRIC ACID & SODIUM LAURYL	Asthma-like symptoms may continue for months or even years after known as reactive airways dysfunction syndrome (RADS) which ca criteria for diagnosing RADS include the absence of previous airwa asthma-like symptoms within minutes to hours of a documented ex airflow pattern on lung function tests, moderate to severe bronchial lymphocytic inflammation, without eosinophilia. RADS (or asthma) the concentration of and duration of exposure to the irritating subst	re exposure to the materi in occur after exposure to ays disease in a non-atop posure to the irritant. Oth hyperreactivity on meth following an irritating inh ance. On the other hand e (often particles) and is isk of causing serious da ending on their structure luce foetal defects during xtures of homologues w is, and are, together with th regard to human healt penetration through the ding up, decreased moto , breathing failure, and w	al ends. This may be due to a non-allergic condition o high levels of highly irritating compound. Main pic individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversit acholine challenge testing, and the lack of minimal lalation is an infrequent disorder with rates related to 1, industrial bronchitis is a disorder that occurs as a completely reversible after exposure ceases. amage to the eyes. They are metabolised by the live . They do not cause cancer, reproductive or genetic g organ formation. tith different alkyl side chains. Common physical and the surfactant properties, responsible for similar th. skin is however, poor. After absorption, these r activity and breathing rate, and diarrhea. Poisonin veight loss. The C-12-akyl sulfate sodium salt cause	
Maintenance Tablets & CITRIC ACID & SODIUM LAURYL SULFATE Henry Schein Waterline Maintenance Tablets & SODIUM LAURYL SULFATE Henry Schein Waterline	Asthma-like symptoms may continue for months or even years after known as reactive airways dysfunction syndrome (RADS) which ca criteria for diagnosing RADS include the absence of previous airwa asthma-like symptoms within minutes to hours of a documented ex airflow pattern on lung function tests, moderate to severe bronchial lymphocytic inflammation, without eosinophilia. RADS (or asthma) the concentration of and duration of exposure to the irritating subst result of exposure due to high concentrations of irritating substance Alkyl sulfates are irritating to the skin, harmful if swallowed and at r and excreted via urine. They produce dose-dependent toxicity depi defects. However, at levels that are toxic to the mother, it may proc For alkyl sulfates; alkane sulfonates and alpha-olefin sulfonates Most chemicals of this category are not defined substances, but mi biological pathways result in structurally similar breakdown product environmental behavior and essentially identical hazard profiles wi Acute toxicity: These substances are well absorbed after ingestion; chemicals are distributed mainly to the liver. In animals, signs of poisoning by mouth include lethargy, hair stanc from skin contact caused irritation, tremor, tonic-clonic convulsions the greatest effect. In eye irritation tests, C-12 containing alkyl sulfates at greater than	re exposure to the materi in occur after exposure to any occur after exposure to any disease in a non-atop posure to the irritant. Oth hyperreactivity on meth following an irritating inh ance. On the other hand a (often particles) and is isk of causing serious da ending on their structure luce foetal defects during xtures of homologues w s, and are, together with th regard to human healt penetration through the ling up, decreased moto , breathing failure, and w 10% concentration were citric acid has low acute use mutations. Also, the is the main hazard prese	al ends. This may be due to a non-allergic condition o high levels of highly irritating compound. Main pic individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversib acholine challenge testing, and the lack of minimal alation is an infrequent disorder with rates related to I, industrial bronchitis is a disorder that occurs as a completely reversible after exposure ceases. amage to the eyes. They are metabolised by the live . They do not cause cancer, reproductive or genetic g organ formation. ith different alkyl side chains. Common physical and the surfactant properties, responsible for similar th. skin is however, poor. After absorption, these r activity and breathing rate, and diarrhea. Poisoning regipt loss. The C-12-akyl sulfate sodium salt cause e severely irritating and produced irreversible effects e toxicity. Citric acid is not suspected of causing sensitizing potential is considered low. In contrast, ented by citric acid.	
Maintenance Tablets & CITRIC ACID & SODIUM LAURYL SULFATE Henry Schein Waterline Maintenance Tablets & SODIUM LAURYL SULFATE Henry Schein Waterline Maintenance Tablets & CITRIC	Asthma-like symptoms may continue for months or even years after known as reactive airways dysfunction syndrome (RADS) which ca criteria for diagnosing RADS include the absence of previous airwa asthma-like symptoms within minutes to hours of a documented ex airflow pattern on lung function tests, moderate to severe bronchial lymphocytic inflammation, without eosinophilia. RADS (or asthma) the concentration of and duration of exposure to the irritating subst result of exposure due to high concentrations of irritating subst result of exposure due to high concentrations of irritating substance Alkyl sulfates are irritating to the skin, harmful if swallowed and at r and excreted via urine. They produce dose-dependent toxicity dep defects. However, at levels that are toxic to the mother, it may proc For alkyl sulfates; alkane sulfonates and alpha-olefin sulfonates Most chemicals of this category are not defined substances, but mi biological pathways result in structurally similar breakdown product environmental behavior and essentially identical hazard profiles wil Acute toxicity: These substances are well absorbed after ingestion; chemicals are distributed mainly to the liver. In animals, signs of poisoning by mouth include lethargy, hair stanc from skin contact caused irritation, tremor, tonic-clonic convulsions the greatest effect. In eye irritation tests, C-12 containing alkyl sulfates at greater than on the cornea. For citric acid (and its inorganic citrate salts) Based on extensive animal testing data and on human experience, cancer, birth defects or reproductive toxicity. Further, it does not ca irritation, particularly of the eyes but also the airways and the skin, The material may cause skin irritation after prolonged or repeated of	re exposure to the materi in occur after exposure to any occur after exposure to any disease in a non-atop posure to the irritant. Oth hyperreactivity on meth following an irritating inh ance. On the other hand a (often particles) and is isk of causing serious da ending on their structure luce foetal defects during xtures of homologues w s, and are, together with th regard to human healt penetration through the ling up, decreased moto , breathing failure, and w 10% concentration were citric acid has low acute use mutations. Also, the is the main hazard prese	al ends. This may be due to a non-allergic condition o high levels of highly irritating compound. Main pic individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversib acholine challenge testing, and the lack of minimal alation is an infrequent disorder with rates related tr I, industrial bronchitis is a disorder that occurs as a completely reversible after exposure ceases. amage to the eyes. They are metabolised by the live . They do not cause cancer, reproductive or genetic g organ formation. ith different alkyl side chains. Common physical and the surfactant properties, responsible for similar th. skin is however, poor. After absorption, these r activity and breathing rate, and diarrhea. Poisonin veight loss. The C-12-akyl sulfate sodium salt cause e severely irritating and produced irreversible effects e toxicity. Citric acid is not suspected of causing sensitizing potential is considered low. In contrast, ented by citric acid.	
Maintenance Tablets & CITRIC ACID & SODIUM LAURYL SULFATE Henry Schein Waterline Maintenance Tablets & SODIUM LAURYL SULFATE Henry Schein Waterline Maintenance Tablets & CITRIC ACID	Asthma-like symptoms may continue for months or even years after known as reactive airways dysfunction syndrome (RADS) which ca criteria for diagnosing RADS include the absence of previous airwa asthma-like symptoms within minutes to hours of a documented ex airflow pattern on lung function tests, moderate to severe bronchial lymphocytic inflammation, without eosinophilia. RADS (or asthma) the concentration of and duration of exposure to the irritating subst result of exposure due to high concentrations of irritating substance. Alkyl sulfates are irritating to the skin, harmful if swallowed and at r and excreted via urine. They produce dose-dependent toxicity depidefects. However, at levels that are toxic to the mother, it may proof For alkyl sulfates; alkane sulfonates and alpha-olefin sulfonates Most chemicals of this category are not defined substances, but mi biological pathways result in structurally similar breakdown product environmental behavior and essentially identical hazard profiles wi Acute toxicity: These substances are well absorbed after ingestion; chemicals are distributed mainly to the liver. In animals, signs of poisoning by mouth include lethargy, hair stand from skin contact caused irritation, tremor, tonic-clonic convulsions the greatest effect. In eye irritation tests, C-12 containing alkyl sulfates at greater than on the cornea. For citric acid (and its inorganic citrate salts) Based on extensive animal testing data and on human experience, cancer, birth defects or reproductive toxicity. Further, it does not ca irritation, particularly of the eyes but also the airways and the skin, The material may cause skin irritation after prolonged or repeated of vesicles, scaling and thickening of the skin.	re exposure to the materi in occur after exposure to any disease in a non-atop posure to the irritant. Out hyperreactivity on meth following an irritating inh ance. On the other hand e (often particles) and is isk of causing serious de ending on their structure luce foetal defects during xtures of homologues w is, and are, together with th regard to human healt penetration through the ding up, decreased moto , breathing failure, and w 10% concentration were citric acid has low acute use mutations. Also, the is the main hazard prese exposure and may produ	al ends. This may be due to a non-allergic condition o high levels of highly irritating compound. Main pic individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversite acholine challenge testing, and the lack of minimal lalation is an infrequent disorder with rates related to 1, industrial bronchitis is a disorder that occurs as a completely reversible after exposure ceases. amage to the eyes. They are metabolised by the live . They do not cause cancer, reproductive or genetic g organ formation. ith different alkyl side chains. Common physical and the surfactant properties, responsible for similar th. • skin is however, poor. After absorption, these r activity and breathing rate, and diarrhea. Poisonin veight loss. The C-12-akyl sulfate sodium salt cause e severely irritating and produced irreversible effects e toxicity. Citric acid is not suspected of causing sensitizing potential is considered low. In contrast, ented by citric acid. uce on contact skin redness, swelling, the production	
Maintenance Tablets & CITRIC ACID & SODIUM LAURYL SULFATE Henry Schein Waterline Maintenance Tablets & SODIUM LAURYL SULFATE Henry Schein Waterline Maintenance Tablets & CITRIC ACID Acute Toxicity Skin Irritation/Corrosion	Asthma-like symptoms may continue for months or even years after known as reactive airways dysfunction syndrome (RADS) which ca criteria for diagnosing RADS include the absence of previous airwa asthma-like symptoms within minutes to hours of a documented ex airflow pattern on lung function tests, moderate to severe bronchial lymphocytic inflammation, without eosinophilia. RADS (or asthma) the concentration of and duration of exposure to the irritating substance Alkyl sulfates are irritating to the skin, harmful if swallowed and at r and excreted via urine. They produce dose-dependent toxicity dep defects. However, at levels that are toxic to the mother, it may proc For alkyl sulfates; alkane sulfonates and alpha-olefin sulfonates Most chemicals of this category are not defined substances, but mi biological pathways result in structurally similar breakdown produced environmental behavior and essentially identical hazard profiles wit Acute toxicity: These substances are well absorbed after ingestion; chemicals are distributed mainly to the liver. In animals, signs of poisoning by mouth include lethargy, hair stand from skin contact caused irritation, tremor, tonic-clonic convulsions the greatest effect. In eye irritation tests, C-12 containing alkyl sulfates at greater than on the cornea. For citric acid (and its inorganic citrate salts) Based on extensive animal testing data and on human experience, cancer, birth defects or reproductive toxicity. Further, it does not ca irritation, particularly of the eyes but also the airways and the skin, The material may cause skin irritation after prolonged or repeated of vesicles, scaling and thickening of the skin.	re exposure to the materi in occur after exposure to any disease in a non-atop posure to the irritant. Oth hyperreactivity on meth following an irritating inh ance. On the other hand e (often particles) and is isk of causing serious da ending on their structure luce foetal defects during xtures of homologues w is, and are, together with th regard to human healt penetration through the ding up, decreased moto , breathing failure, and w 10% concentration were citric acid has low acute use mutations. Also, the is the main hazard press exposure and may produ Carcinogenicity	al ends. This may be due to a non-allergic condition o high levels of highly irritating compound. Main pic individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversit acholine challenge testing, and the lack of minimal lalation is an infrequent disorder with rates related to 1, industrial bronchitis is a disorder that occurs as a completely reversible after exposure ceases. amage to the eyes. They are metabolised by the live . They do not cause cancer, reproductive or genetic g organ formation. ith different alkyl side chains. Common physical and the surfactant properties, responsible for similar th. skin is however, poor. After absorption, these r activity and breathing rate, and diarrhea. Poisonin veight loss. The C-12-akyl sulfate sodium salt cause a severely irritating and produced irreversible effects e toxicity. Citric acid is not suspected of causing sensitizing potential is considered low. In contrast, ented by citric acid. icce on contact skin redness, swelling, the production	
Maintenance Tablets & CITRIC ACID & SODIUM LAURYL SULFATE Henry Schein Waterline Maintenance Tablets & SODIUM LAURYL SULFATE Henry Schein Waterline Maintenance Tablets & CITRIC ACID	Asthma-like symptoms may continue for months or even years after known as reactive airways dysfunction syndrome (RADS) which ca criteria for diagnosing RADS include the absence of previous airwa asthma-like symptoms within minutes to hours of a documented ex airflow pattern on lung function tests, moderate to severe bronchial lymphocytic inflammation, without eosinophilia. RADS (or asthma) the concentration of and duration of exposure to the irritating subst result of exposure due to high concentrations of irritating substance. Alkyl sulfates are irritating to the skin, harmful if swallowed and at r and excreted via urine. They produce dose-dependent toxicity depidefects. However, at levels that are toxic to the mother, it may proof For alkyl sulfates; alkane sulfonates and alpha-olefin sulfonates Most chemicals of this category are not defined substances, but mi biological pathways result in structurally similar breakdown product environmental behavior and essentially identical hazard profiles wit Acute toxicity: These substances are well absorbed after ingestion; chemicals are distributed mainly to the liver. In animals, signs of poisoning by mouth include lethargy, hair stand from skin contact caused irritation, tremor, tonic-clonic convulsions the greatest effect. In eye irritation tests, C-12 containing alkyl sulfates at greater than on the cornea. For citric acid (and its inorganic citrate salts) Based on extensive animal testing data and on human experience, cancer, birth defects or reproductive toxicity. Further, it does not ca irritation, particularly of the eyes but also the airways and the skin, The material may cause skin irritation after prolonged or repeated of vesicles, scaling and thickening of the skin.	re exposure to the materi in occur after exposure to any disease in a non-atop posure to the irritant. Ott hyperreactivity on meth following an irritating inh ance. On the other hand a (often particles) and is isk of causing serious da ending on their structure luce foetal defects during extures of homologues w is, and are, together with th regard to human healt penetration through the ding up, decreased moto , breathing failure, and w 10% concentration were citric acid has low acute use mutations. Also, the is the main hazard prese exposure and may produ <b>Carcinogenicity</b> <b>Reproductivity</b>	al ends. This may be due to a non-allergic condition o high levels of highly irritating compound. Main pic individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversib acholine challenge testing, and the lack of minimal alation is an infrequent disorder with rates related tr I, industrial bronchitis is a disorder that occurs as a completely reversible after exposure ceases. amage to the eyes. They are metabolised by the live . They do not cause cancer, reproductive or genetic g organ formation. ith different alkyl side chains. Common physical and the surfactant properties, responsible for similar th. skin is however, poor. After absorption, these r activity and breathing rate, and diarrhea. Poisonin veight loss. The C-12-akyl sulfate sodium salt cause a severely irritating and produced irreversible effects e toxicity. Citric acid is not suspected of causing sensitizing potential is considered low. In contrast, ented by citric acid. uce on contact skin redness, swelling, the production <b>X</b>	

Data available to make classification

# Part Number: Version No: 2.1

# Henry Schein Waterline Maintenance Tablets

#### Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
Henry Schein Waterline Maintenance Tablets	Not Available	Not Available	Not Available	Not Available	Not Availab
	Endpoint	Test Duration (hr)	Species	Value	Sourc
	EC50(ECx)	48h	Crustacea	>50mg/l	2
citric acid	LC50	96h	Fish	>100mg/l	2
	EC50	72h	Algae or other aquatic plants	990mg/l	2
	EC50	48h	Crustacea	>50mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Sourc
	EC0(ECx)	72h	Algae or other aquatic plants	30mg/l	1
	LC50	96h	Fish	1.25-2.5mg/L	4
sodium lauryl sulfate	EC50	72h	Algae or other aquatic plants	4.8mg/l	2
	EC50	48h	Crustacea	0.939mg/l	1
	EC50	96h	Algae or other aquatic plants	1.25-2.5mg/L	4
	Endpoint	Test Duration (hr)	Species	Value	Sourc
	NOEC(ECx)	120h	Fish	<0.001mg/L	4
	LC50	96h	Fish	0.006mg/l	2
silver	EC50	72h	Algae or other aquatic plants	11.89mg/l	2
	EC50	48h	Crustacea	0.001mg/l	2
	EC50	96h	Algae or other aquatic plants	0.002mg/L	4

- Bioconcentration Data 8. Vendor Data

On the basis of available evidence concerning either toxicity, persistence, potential to accumulate and or observed environmental fate and behaviour, the material may present a danger, immediate or long-term and /or delayed, to the structure and/ or functioning of natural ecosystems.

Toxic to aquatic organisms.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.

Wastes resulting from use of the product must be disposed of on site or at approved waste sites.

For alkyl sulfates; alkane sulfonates and alpha-olefin sulfonates:

Environmental Fate: The similar physical and chemical properties of these chemicals result in similar ecotoxic action and environmental fate throughout the group. The lineal hydrophobic hydrocarbon chain structure and the polar sulfate or sulfonate groups confer surfactant properties and enable the commercial use of these substances as anionic surface active agents. Within each subcategory the most important parameter influencing ecotoxicity is the varying length of the alkyl chain. As ionic substances, the chemicals in this group all have extremely low vapor pressures, and therefore decompose before reaching their theoretical boiling points. As surfactants tend to concentrate at the water/air interface rather than equilibrate across these boundaries, calculated measures of partitioning of these compounds in the environment should be viewed with caution as the models do not take into account the properties of surfactants. It is therefore deduced that the target compartment for these substances is the hydrosphere, and partitioning into the atmosphere can be excluded. 90citric

DO NOT discharge into sewer or waterways.

# Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
citric acid	LOW	LOW
sodium lauryl sulfate	HIGH	HIGH

#### **Bioaccumulative potential**

Ingredient	Bioaccumulation	
citric acid	LOW (LogKOW = -1.64)	
sodium lauryl sulfate	LOW (BCF = 7.15)	

# Mobility in soil

Ingredient	Mobility	
citric acid	LOW (KOC = 10)	
sodium lauryl sulfate	LOW (KOC = 10220)	

# **SECTION 13 Disposal considerations**

Waste treatment methods	
Product / Packaging disposal	<ul> <li>Containers may still present a chemical hazard/ danger when empty.</li> <li>Return to supplier for reuse/ recycling if possible.</li> <li>Otherwise:</li> <li>If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same</li> </ul>

product, then puncture containers, to prevent re-use, and bury at an authorised landfill.
Where possible retain label warnings and SDS and observe all notices pertaining to the product.
DO NOT allow wash water from cleaning or process equipment to enter drains.
It may be necessary to collect all wash water for treatment before disposal.
In all cases disposal to sever may be subject to local laws and regulations and these should be considered first.
Where in doubt contact the responsible authority.

### **SECTION 14 Transport information**

Labels Required		
Marine Pollutant	NO	
HAZCHEM	Not Applicable	

### Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

#### Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

### Transport in bulk according to Annex II of MARPOL and the IBC code

#### Not Applicable

# Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
citric acid	Not Available
sodium lauryl sulfate	Not Available
silver	Not Available

#### Transport in bulk in accordance with the ICG Code

Product name	Ship Type
citric acid	Not Available
sodium lauryl sulfate	Not Available
silver	Not Available

Australian Inventory of Industrial Chemicals (AIIC)

Australian Inventory of Industrial Chemicals (AIIC)

Manufactured Nanomaterials (MNMS)

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for

# **SECTION 15 Regulatory information**

# Safety, health and environmental regulations / legislation specific for the substance or mixture

# citric acid is found on the following regulatory lists Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

sodium lauryl sulfate is found on the following regulatory lists Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

#### silver is found on the following regulatory lists

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) -Schedule 2 Australian Inventory of Industrial Chemicals (AIIC)

#### **National Inventory Status**

National Inventory	Status			
Australia - AIIC / Australia Non-Industrial Use	Yes			
Canada - DSL	Yes			
Canada - NDSL	No (citric acid; silver)			
China - IECSC	Yes			
Europe - EINEC / ELINCS / NLP	Yes			
Japan - ENCS	No (silver)			
Korea - KECI	Yes			
New Zealand - NZIoC	Yes			
Philippines - PICCS	Yes			
USA - TSCA	Yes			
Taiwan - TCSI	Yes			
Mexico - INSQ	Yes			
Vietnam - NCI	Yes			
Russia - FBEPH	Yes			
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.			

Chemwatch: 5530-38

Part Number: Version No: 2.1

# Henry Schein Waterline Maintenance Tablets

Revision Date	30/03/2022
Initial Date	30/03/2022

#### **SDS Version Summary**

Version	Date of Update	Sections Updated
2.1	30/03/2022	Acute Health (eye), Acute Health (inhaled), Acute Health (skin), Acute Health (swallowed), Advice to Doctor, Appearance, Chronic Health, Classification, Disposal, Engineering Control, Environmental, Exposure Standard, Fire Fighter (extinguishing media), Fire Fighter (fire/explosion hazard), Fire Fighter (fire fighting), Fire Fighter (fire incompatibility), First Aid (eye), First Aid (inhaled), First Aid (skin), First Aid (swallowed), Handling Procedure, Instability Condition, Personal Protection (other), Personal Protection (Respirator), Personal Protection (eye), Personal Protection (hands/feet), Spills (major), Spills (minor), Storage (storage incompatibility), Storage (storage requirement), Storage (suitable container), Toxicity and Irritation (Other), Transport, Use

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit。 IDLH: Immediately Dangerous to Life or Health Concentrations ES: Exposure Standard OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors **BEI: Biological Exposure Index** AIIC: Australian Inventory of Industrial Chemicals DSL: Domestic Substances List NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.